CHEOPS drive KNX

Item no.: 7319200



Home and Building control KNX

Description

- Motorised actuator for heater valve or for controlling the heating valves
- Without integrated control
- Display via LEDs (red)
- 2 inputs for window contact or presence detector
- Display of valve stroke
- Automatic valve stroke recognition
- Simple installation by clicking onto valve adapter
- Can be used in heating circuit distributor
- Integrated bus coupling unit
- With summer mode and valve protection
- 2 different valve adapters included (VA 10, VA 78)



Technical data

CHEOPS drive KNX		
Operating voltage KNX	Bus voltage, ≤10 mA	
Max. valve stroke	7.5 mm	
Controlling torque details	120 N	
Runtime	<20 s/mm	
Installation type	Locks on valve adapter	

	CHEOPS drive KNX		
Type of connection	6-pole (length 1.0 m)		
Display	Hubanzeige: 5 LEDs (5 x rot)		
Behaviour in case of control signature failure	Moves to optional position		
Ambient temperature	0°C 50°C		
Stock temperature	-20°C 60°C		


CHEOPS drive KNX Item no.: 7319200



Technical data

CHEOPS drive KNX			CHEOPS drive KNX	
Medium temperature	≤100°C	Protection class	III according to EN 60730-2-14	
Dimensions	50 mm, 82 mm, 65 mm	Type of protection	IP 21	

Scale drawings



Accessories

Valve adapter VA 80 Item no.: 9070437



misprints additional information at: www.theben.de/product/7319200 The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.